

H.D. CHASEN Co. Inc.

40Lake St., PO Box 170 Somerville, MA 02143

Call: 617-666-9090

Fax: 617-666-3452

www.hdchasen.com

APPROVED POWER TOOLS FOR CO E.I.

	PART #	DESCRIPTION
	6509-22 PID# 999494305	SAWZALL Kit 10 amp motor 0-2800 SPM Variable Speed Trigger. Quik-Lok Blade Clamp for fast, easy blade changes. Heavy Duty 'S' jacket 8' two wire rubber cord Double Insulated. Uses Standard 1/2" shank Sawzall® Blades. Comes in a plastic case.
	6515-27	18 volt, 2.4 amp-hr. Power-Plus battery. 1 inch stroke length for aggressive cutting, 0-2000 strokes per minute. Powerful 18 volt rare earth motor easily handles all Sawzall applications. Cuts up to 72 2x4's on a single charge. Comes in a plastic case.
	48-11-2230	18 Volt 2.4 AH Battery for use with all MILWAUKEE 18 Volt Hammer Drills
	48-59-0186	Charges all Milwaukee Power Plus Batteries by plugging into the cigarette lighter.
	48-59-0245	Charges all Milwaukee Power Plus Batteries in one hour.
	48-01-3037 PID# 333199588	6 TPI, 12" Length, Bi-Metal Construction 1/2" Universal Tang fits all Sawzalls 5 blades per pouch.
	48-01-5181	14 TPI, 4" Length, Bi-Metal Construction 1/2" Universal Tang fits all Sawzalls 5 blades per pouch. For cutting metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, and fiber.
	48-01-5182 PID# 000199554	14 TPI, 6" Length, Bi-Metal Construction 1/2" Universal Tang fits all Sawzalls 5 blades per pouch C20 For cutting metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, and fiber.
	6232-6 PID# 000228973	PORTABLE BAND SAW Deep Cut up to 4-3/4 inch x 4-3/4 inch rectangular stock and 4-3/4 inch round stock. 6 amp, AC only. Trigger speed control: 0-350 sfpm. Uses standard 44-7/8 inch x 1/2 inch x .020 inch band saw blades. Comes in a plastic case.
	48-08-0260	Milwaukee Portable Band Saw Table converts the portable saw into a stationary saw. Legs not included.

	<p>LNX-80114 PID# 000968933</p>	<p>LENOX Bandsaw Blade 3'8-7/8" x 1/2" .025 10/14 tooth BiMetal.</p>
	<p>5359-21</p>	<p>HAMMER DRILL SDS 1-1/8" bit capacity, variable speed: 0-980 rpm, 0-4,200 bpm, lightweight, compact 14" length and well balanced design. Three modes of operation: rotation with hammering, hammer-only and rotation-only. This versatile tool can be used for drilling in steel, wood or concrete. Comes in a plastic case.</p>
	<p>5361-24</p>	<p>Cordless Rotary Hammer 18 volt 3/4" SDS, 1-3/4" core bit capacity 0-3900 blows per minute. Comes in a plastic case.</p>
	<p>48-11-2230</p>	<p>18 Volt 2.4 AH Battery for use with all MILWAUKEE 18 Volt Hammer Drills</p>
	<p>48-59-0186</p>	<p>Charges all Milwaukee Power Plus Batteries by plugging into the cigarette lighter.</p>
	<p>48-59-0245</p>	<p>Charges all Milwaukee Power Plus Batteries in one hour.</p>
	<p>5378-21</p>	<p>HAMMER DRILL KIT SDS 1/2" capacity; 7.5 amp motor. Trigger speed control in two ranges: 0-1350 rpm, 0-22,000 bpm; 0-2500 rpm, 0-40,000 bpm; reversing Hammer with rotation or rotation only. Comes in a plastic case.</p>



**SDS
Bits
for
Rotary
Hammer
Drills**

PART#	SIZE	DEPTH	LENGTH
90007	3/16	6"	8"
90014	1/4	6"	8"
90017	1/4	10"	12"
90029	3/8	8"	10"
90031	3/8	10"	12"
90036	7/16	6"	8"
90038	7/16	10"	12"
90040	1/2	4"	6"
90041	1/2	8"	10"
90043	1/2	10"	12"
90048	9/16	4"	6"
90050	9/16	10"	12"
90053	5/8	6"	8"
90055	5/8	10"	12"
SR18MM	18MM	8"	10"
90059	3/4	6"	8"
90061	3/4	10"	12"
90065	7/8	6"	8"
90067	7/8	10"	12"
90071	1	8"	10"



0511-21

DRIVER/DRILL Kit 14.4Volt 1/2" keyless chuck. Includes two batteries and a one hour charger. Comes in a plastic case.



PTD-99977

Drill Set 1/16 - 1/2 by 64th HSS



48-30-0105

Screwdriver Bit Assortment with Quick Change Chuck. Includes Nos. 1, 2, and 3 Phillips Insert Bits, 6F-7R, 8F-10R and 10F-12R Slotted Insert Bits.



48-11-1024

14.4 Volt 2.4 AH Battery for use with MILWAUKEE 14 Volt Tools

48-59-0186

Charges all Milwaukee Power Plus Batteries by plugging into the cigarette lighter.

48-59-0255

Charges all Milwaukee Power Plus Batteries in one hour.

	0502-23	<p>Driver Drill Kit 3/8" reversible for working in tight spaces and better balance for overhead work. 220 in./lbs. torque with 19 Position adjustment 1.4 amp-hr. Power-Plus battery pack. Variable Speed in two ranges: 0-360/0-1,100 rpm. Electronic brake. The 0502-23 comes with the Driver/Drill, two batteries, one hour charger and a plastic case.</p>
	48-11-1970	<p>12 Volt 2.4 AH Battery for use with MILWAUKEE 12 Volt Tools</p>
	48-59-0186	<p>Charges all Milwaukee Power Plus Batteries by plugging into the cigarette lighter.</p>
	48-59-0255	<p>Charges all Milwaukee Power Plus Batteries in one hour.</p>
	PTD-99980	<p>Drill Set 1/16 - 3/8 by 64th HSS</p>
	0236-6	<p>MAGNUM DRILL Kit 1/2" 5.5 amp motor, 0 to 850 rpm, trigger speed control with reversing Heavy-Duty industrial chuck. 8' 3-wire Quik-Lok® cord with easy detachment for storage and service. Comes in a metal case with tray.</p>
	<p>MMM-45095 MMM-45102</p>	<p>ROLOC PAD Holder for 2" disc. Used with 2" Roloc discs.</p>
	MMM-22403	<p>ROLOC DISC 2" 36 grit for paint and rust removal. 50 per pack.</p>
	6266-22	<p>JIG SAW Kit 6.2 amp motor, 4 adjustment levels for faster cutting, 7 setting dial speed control 500-3000 SPM, Quik-lok blade change system, Keyless 45° bevel adjustment and 10 position dust blower and built in dust collection port for easy attachment to vacuum. Comes in a plastic case.</p>
	6267-21	<p>JIG SAW Kit 12 Volt Power-Plus Ni-Cad Battery features 2.0 amp-hour capacity to deliver long run time, Quik-Lok Blade Change System. Uses T-Shank Jig Saw Blades. Comes in a plastic case.</p>

	48-42-5161	BLADE Bi-Metal 3" 24 TPI 9/32" Width, T-Shank. 5 blades per package. For cutting metal under 1/8" thick.
	48-42-5192	BLADE Bi-Metal 5-1/4" 14 TPI 9/32" Width, T-Shank. 5 blades per package. For cutting thick metal, tubing, etc.
	48-42-5190	BLADE Bi-Metal 3" 14 TPI 9/32" Width, T-Shank. 5 blades per package. For cutting thick metal over 1/4" thick.
	48-42-5121	BLADE Bi-Metal 3" 18 TPI 9/32" Width, T-Shank. 5 blades per package. For cutting metal over 1/8" thick.
	8985	Variable temperature 140 to 1040 degrees F, 11.6 amp motor. Unique impact resistant heating element. Efficient soft air velocity increases surface temperature much faster than conventional hot air heat guns.
	6547-22	CORDLESS SCREWDRIVER 2.4 Volt. Two Position Handle. Adjustable Clutch. Two Speed. Forward and Reverse. Comes with two 2.4 volt batteries, one hour charger, 1/4" chuck attachment with key, 4 piece driver/drill bit set and an impact resistant carrying case.
	8936-20	VACUUM WET/DRY 7-1/2 gal., 7/8 bu. recovery capacity, 9.5 amp motor. High efficiency Filtration System with Polypropylene Tank
	49-90-0445	FILTER for 8936-20 vacuum. 5 per pack.
	6175-6	Cut-Off Machine 14" Abrasive. Powerful 15 amp motor, AC-DC 3000 RPM, 4" pipe cutting capacity, Quick release locking vise.
	49-93-6231	Type 1 Abrasive Wheel 14" x 3/32" x 1" arbor for General Purpose metal cutting of conduit, pipe, channeling and rebar. 10 per box